PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL
OF PLANT BIOCHEMISTRY
AND MOLECULAR BIOLOGY

Editor-in-Chief

J. B. HARBORNE F.R.S.

Associate Editor (North America)

N. G. LEWIS

Executive Editor

T. A. SMITH

Volume 44 Contents, Author Index and
Subject Index 1997

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry and Molecular Biology

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: School of Biological Sciences, Liverpool University, Liverpool L69 7ZB, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Biological Sciences, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editors

S. BRUNTON and A. HOPKINS: Journals Production Dept, Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Tel: +44(0) 1865 843466/843749. Fax: +44(0) 1865 843969. E-mail: chemistry.production@elsevier.co.uk

EDITORIAL BOARD—1997

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Pharmacology Group, King's College, Manresa Road, London SW3 6LX, U.K.
G. P. Bolwell:	School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.
E. G. Brown:	Biochemistry Group, School of Biological Sciences, University of Wales Swansea, Singleton Park, Swansea SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of NSW, P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 2635 Sugitani, Toyama 930-10, Japan.
D. Strack:	Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 44, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1997).

Annual Institutional Subscription Rates 1997: Europe, The CIS and Japan 3983.00 Dutch Guilders. All other countries US$2459.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel. (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: kyf04035@niftyserve.or.jp]. **Asia Pacific (*excluding Japan*):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues:* back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Copyright © 1997 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Phytochemistry* **(ISSN 0031-9422)** is published **semi-monthly, two issues per month, January to December in three volumes,** by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2459.** *Phytochemistry* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Phytochemistry*, c/o Elsevier Science, Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

CONTENTS OF VOLUME 44

Number 1

Obituary—Professor Tom ap Rees ix

Editorial Announcement xi

Announcements xiii

Instructions to Authors 1997 I

Growth and Metabolism

A lectin from mycelia of the fungus *Ganoderma lucidum* 7 H. Kawagishi, S.-I. Mitsunaga, M. Yamawaki, M. Ido, A. Shimada, T. Kinoshita, T. Murata, T. Usui, A. Kimura and S. Chiba

Involvement of magnesium and ATP in the regulation of nitrate reductase activity in *Sinapis alba* 11 R. Herrera and C. B. Johnson

Monophenolase activity of polyphenol oxidase from Blanquilla pear 17 J. C. Espín, M. Morales, R. Varón, J. Tudela and F. García-Cánovas

Dimethylallyl diphosphate: kaempferol 8-dimethylallyl transferase in *Epimedium diphyllum* cell suspension cultures 23 H. Yamamoto, J. Kimata, M. Senda and K. Inoue

Phospholipids and polypeptides in the outer membrane of maize mitochondria 29 T. Guillot-Salomon, R. Rémy, C. Cantrel, C. Demandre and F. Moreau

Lignin structure in *Buxus sempervirens* reaction wood 35 H. Baillères, M. Castan, B. Monties, B. Pollet and C. Lapierre

Methyl gallate and related polyphenols as auxin protectors 41 J. Méndez and M. C. Mato

Distribution of polyprenols and dolichols in soybean plant 45 A. Kurisaki, H. Sagami and K. Ogura

Levels and tissue distribution of loline alkaloids in endophyte-infected *Festuca pratensis* 51 M. Justus, L. Witte and T. Hartmann

Ecological Biochemistry

Comparison of phenolic compounds from galls and shoots of *Picea glauca* 59 C. Kraus and G. Spiteller

Cell Culture and Biotechnology

The formation of Cd–phytochelatin complexes in plant cell cultures 69 R. Kneer and M. H. Zenk

2-Methylnaphthazarin 5-*O*-glucoside from the methanol extracts of *in vitro* cultures of *Drosera* species 75 J. Budzianowski

Biotransformation of (+)- and (−)-camphorquinones to camphanediols by *Glomerella cingulata* 79 M. Miyazawa, M. Nobata, M. Hyakumachi and H. Kameoka

Flavonoids and phenylethanoids from hairy root cultures of *Scutellaria baicalensis* 83 Y. Zhou, M. Hirotani, T. Yoshikawa and T. Furuya

Chemotaxonomy

Plagiochilines and other sesquiterpenoids from *Plagiochila* (Hepaticae) 89 S. Valcic, J. Zapp and H. Becker

Labdanoids and bis(bibenzyls) from *Jungermannia* species 101 Chia-Li Wu and Hsiang-Ru Lin

Pregnane glycosides from *Sansevieria trifasciata* 107 Y. Mimaki, T. Inoue, M. Kuroda and Y. Sashida

Plant Chemistry

Sesquiterpene lactones from *Elephantopus scaber* — 113 P. Pui-Hay But, Po-Ming Hon, Hui Cao, T. W. D. Chan, Bo-Mu Wu, T. C. W. Mak and Chun-Tao Che

Megastigmane glycosides from *Salvia nemorosa* — 117 Y. Takeda, H. Zhang, T. Matsumoto, H. Otsuka, Y. Oosio, G. Honda, M. Tabata, T. Fujita, H. Sun, E. Sezik and E. Yesilada

Scutorientalin D, a neo-clerodane diterpenoid from *Scutellaria orientalis* subsp. *pinnatifida* — 121 P. Y. Malakov, G. Y. Papanov and S. L. Spassov

Hypoestenone: a fusicoccane diterpene ketone from *Hypoestes forskalei* — 125 I. Muhammad, J. S. Mossa, M. A. Al-Yahya, F. S. El-Feraly and A. T. McPhail

Taraxastane glycosides from *Eclipta alba* — 131 S. Yahara, N. Ding, T. Nohara, K. Masuda and H. Ageta

Isolation and structure elucidation of three triterpenoid saponins from *Acacia auriculiformis* — 137 S. Garai and S. B. Mahato

Triterpenoids and flavonoids from *Paeonia lactiflora* — 141 K. Kamiya, K. Yoshioka, Y. Saiki, A. Ikuta and T. Satake

Pregnane glycosides from *Hemidesmus indicus* — 145 D. Deepak, S. Srivastava and A. Khare

Ergosta-5,24(24′)-diene-3β, 4β, 20*S*-triol, an ergostane steroid from *Dysoxylum malabaricum* — 153 T. R. Govindachari, G. N. Krishna Kumari and G. Suresh

Phenanthrenes, dihydrophenanthrenes and bibenzyls from the orchid *Bulbophyllum vaginatum* — 157 Yuan-Wah Leong, Chiang-Cheong Kang, L. J. Harrison and A. D. Powell

Bibenzyl derivatives from the orchid *Bulbophyllum protractum* — 167 P. L. Majumder, M. Roychowdhury (née Basak) and S. Chakraborty

Phenylpropanoids from *Bupleurum fruticosum* — 173 G. M. Massanet, F. M. Guerra, Z. D. Jorge and L. G. Casalvázquez

Two coumarins from the root bark of *Clausena excavata* — 179 Shiow-Chyn Huang, Pei-Lin Wu and Tian-Shung Wu

Two acylated anthocyanins from purple sweet potato — 183 Y. Goda, T. Shimizu, Y. Kato, M. Nakamura, T. Maitani, T. Yamada, N. Terahara and M. Yamaguchi

C-p-Hydroxybenzoylglycoflavones from *Citrullus colocynthis* — 187 G. T. Maatooq, S. H. El-Sharkawy, M. S. A and J. P. N. Rosazza

Number 2

Editorial Announcement — ix

Announcements — xi

Review Article Number 117

Trioxygenated naturally occurring xanthones — 191 V. Peres and T. J. Nagem

Growth and Metabolism

Activity and utility of abscisic acid having a 3′ thioether linker arm — 215 J. J. Balsevich, G. G. Bishop and G. M. Banowetz

Stimulation of ethylene production in aged potato tuber slices by salicylic acid — 221 Wu-Sheng Liang, Jiang-Qi Wen and Hou-Guo Liang

Transfer of hydroxycinnamoyl residues to microsomal proteins from parsley — 225 A. Kohler and H. Kauss

A laccase-type polyphenol oxidase from lignifying xylem of tobacco — 229 A. Richardson and G. J. McDougall

Peroxidase from *Hevea brasiliensis* bark: purification and properties — 237 R. Wititsuwannakul, D. Wititsuwannakul, B. Sattaysevana and P. Pasitkul

A boron–rhamnogalacturonan-II complex from bamboo shoot cell walls — 243 S. Kaneko, T. Ishii and T. Matsunaga

Ecological Biochemistry

Functional moiety for the antifungal activity of phytocassane E, a diterpene phytoalexin from rice — 249 J. Koga, N. Ogawa, T. Yamauchi, M. Kikuchi, N. Ogasawara and M. Shimura

Danielone, a phytoalexin from papaya fruit — 255 F. Echeverri, F. Torres, W. Quiñones, G. Cardona, R. Archbold, J. Roldan, I. Brito, J. G. Luis and E.-H. Lahlou

Biochemical activities of berberine, palmatine and sanguinarine mediating chemical defence against microorganisms and herbivores — 257 T. Schmeller, B. Latz-Brüning and M. Wink

Biosynthesis

Biosynthesis of oosponol and oospoglycol elucidated by ^{13}C NMR — 267 J. Sonnenbichler, I. Sonnenbichler and D. Schwarz

Chlorination of anthraquinones by lichen and fungal enzymes — 271 P. A. Cohen and G. H. N. Towers

Styrylpyrone biosynthesis in *Equisetum arvense* — 275 C. Beckert, C. Horn, J.-P. Schnitzler, A. Lehning, W. Heller and M. Veit

Cell Culture and Biotechnology

Alfalfa cell cultures treated with a fungal elicitor accumulate flavone metabolites rather than isoflavones in the presence of the methylation inhibitor tubericidin — 285 T. Daniell, D. O'Hagan and R. Edwards

Chemotaxonomy

Sesquiterpene and other constituents of the liverwort *Dumortiera hirsuta* — 293 M. Toyota, T. Yoshida, J. Matsunami and Y. Asakawa

Bioactive Plant Products

Biological activities of synthetic triterpenoid and steroid β-D-xylopyranosyl-(1→6)-β-D-glucopyranosides — 299 M. Takechi, C. Uno and Y. Tanaka

Steroidal glycosides from the underground parts of *Hosta plantaginea* var. *Japonica* and their cytostatic activity on leukaemia HL-60 cells — 305 Y. Mimaki, A. Kameyama, M. Kuroda, Y. Sashida, T. Hirano, K. Oka, K. Koike and T. Nikaido

Plant Chemistry

A farnesol derivative from *Tanacetum aucheranum* — 311 N. Gören, S. Kirmizigül and C. Zdero

Bisabolene sesquiterpenes and flavonoids from *Friesodielsia enghiana* — 315 T. C. Fleischer, R. D. Waigh and P. G. Waterman

Labdane diterpenes from *Brickellia kellermanii* — 319 A. Ortega, I. Salazar, R. Gaviño and E. Maldonado

Abietane diterpenoids from *Plectranthus grandidentatus* — 325 A.P. Teixeira, O. Batista, M. F. Simões, J. Nascimento, A. Duarte, M. C. de la Torre and B. Rodríguez

Triterpenoids from the leaves of *Nerium oleander* 329 S. Begum, R. Sultana and B.S. Siddiqui

Triterpenoid saponins from *Anemone hupehensis* 333 Ming-Kui Wang, Feng-E Wu and Yao-Zu Chen

Triterpenoid saponins from *Aster lingulatus* 337 Yu Shao, Chi-Tang Ho, Chee-Kok Chin, R. T. Rosen, Bin Hu and Guo-Wei Qin

Lignans and a bichroman from *Pleione bulbocodioides* 341 L. Bai, M. Yamaki and S. Takagi

Neolignans from *Anaxagorea clavata* 345 A. M. Puentes De Díaz

Two flavans from *Brosimum acutifolium* 347 S. L. Torres, J. C. M. Monteiro, M. S. P. Arruda, A. H. Müller and A. C. Arruda

Characterization of highly polymerized procyanidins in cider apple (*Malus sylvestris* var. *Kermerrien*) skin and pulp 351 S. Guyot, T. Doco, J.-M. Souquet, M. Moutounet and J.-F. Drilleau

Oxygenated pyrenes, their potential biosynthetic precursor and benzylated dihydroflavones from two African *Uvaria* species 359 H. Achenbach, M. Höhn, R. Waibel, M. H. H. Nkunya, S. A. Jonker and S. Muhie

8α-Hydroxy-α-ergokryptine, an ergot alkaloid 365 L. Cvak, A. Jegorov, S. Pakhomova, B. Kratochvíl, P. Sedmera, V. Havlíček and J. Minář

Number 3

Editorial Announcement ix

Announcement xi

Growth and Metabolism

Cytosolic catabolites of H^+-ATPase in senescing carnation petals 371 K. A. Hudak, S. Ghosh, E. B. Dumbroff and J. E. Thompson

Cytokinin metabolism and cytokinin oxidase and adenine phosphoribosyltransferase activity in male sterile *Brassica napus* leaves 377 A. Shukla and V. K. Sawhney

α-D-Mannosidase from *Capsicum annuum* 383 K. M. Priya Sethu and T. N. Prabha

Aspartic proteinase levels in seeds of different angiosperms 389 G. Voigt, B. Biehl, H. Heinrichs and J. Voigt

A trypsin inhibitor from snail medic seeds active against pest proteases 393 F. Ceciliani, A. Tava, R. Iori, M. Mortarino, M. Odoardi and S. Ronchi

Graminicide-binding by acetyl-CoA carboxylase from *Poa annua* leaves 399 D. Herbert, D. J. Cole, K. E. Pallett and J. L. Harwood

Ecological Biochemistry

Glucosinolate content in susceptible and resistant Chinese cabbage varieties during development of clubroot disease 407 J. Ludwig-Müller, B. Schubert, K. Pieper, S. Ihmig and W. Hilgenberg

Chemical basis of the resistance of barley seeds to pathogenic fungi 415 S. García, C. García, H. Heinzen and P. Moyna

Biosynthesis

4-Hydroxybenzoate prenyltransferases in cell-free extracts of *Lithospermum erythrorhizon* cell cultures 419 R. Boehm, S. Li, M. Melzer and L. Heide

Biosynthesis of flavan-3-ols by leaf extracts of *Onobrychis viciifolia* 425 S. Singh, J. McCallum, M. Y. Gruber, G. H. N. Towers, A. D. Muir, B. A. Bohm, M. R. Koupai-Abyazani and A. D. M. Glass

Cell Culture and Biotechnology

Biotransformation of the sesquiterpenoid β-selinene using the plant pathogenic fungus *Glomerella cingulata* as a biocatalyst 433 M. Miyazawa, Y. Honjo and H. Kameoka

Chemotaxonomy

Cryptocarya liebertiana and *Ocotea bullata*—their phytochemical relationship 437 S. E. Drewes, M. H. Horn and S. Mavi

Bioactive Plant Products

Plant polyphenols: biologically active compounds or non-selective binders to protein? 441 Min Zhu, J. D. Phillipson, P. M. Greengrass, N. E. Bowery and Ya Cai

Plant Chemistry

A cyclic peptide, anabaenopeptin B, from the cyanobacterium *Oscillatoria agardhii* 449 M. Murakami, H. J. Shin, H. Matsuda, K. Ishida and K. Yamaguchi

(+)-1(10)-Spirovetiven-7β-ol from the liverwort *Lepidozia reptans* 453 A. Rieck, N. Bülow, S. Jung, Y. Saritas and W. A. König

Eudesmane sesquiterpenes from *Laggera pterodonta* 459 Yu Zhao, Jianmin Yue, Zhongwen Lin, Jingkai Ding and Handong Sun

Glaucolides, hirsutinolides and other sesquiterpene lactones from *Vernonanthura pinguis* 465 S. Borkosky, A. Bardón, C. A. N. Catalán, J. G. Díaz and W. Herz

3,4-β-Epoxy-8-deoxycumambrin B, a sesquiterpene lactone from *Tanacetum parthenium* 471 M. Milbrodt, F. Schröder and W. A. König

A diterpene from *Nepeta septemcrenata* 475 A. T. Khalil, S. R. Gedara, M. F. Lahloub, A. F. Halim and M. Voehler

Diterpenes from *Hyalis argentea* 479 M. I. Ybarra, S. A. Borkosky, C. A. N. Catalán, C. M. Cerda-García-Rojas and P. Joseph-Nathan

Triterpenoid saponins from the roots of *Zygophyllum* species 485 K. Pöllmann, S. Gagel, M. H. A. Elgamal, K. H. Shaker and K. Seifert

A triterpenoid saponin from *Maesa ramentacea* 491 P. Tuntiwachwuttikul, O. Pancharoen, W. Mahabusarakam, P. Wiriyachitra, W. C. Taylor, W. A. Bubb and G. H. N. Towers

Leonticins D–H, five triterpene saponins from *Leontice kiangnanensis* 497 Min Chen, Wei Wei Wu, D. Nanz and O. Sticher

Saponins from *Oxytropis bicolor* 505 Rong-Qi Sun and Jian-Cun Chen

28-Hydroxywithanolide E from *Physalis peruviana* 509 L. N. Dinan, S. D. Sarker and V. ESik

Ecdysteroid xylosides from *Limnanthes douglasii* 513 S. D. Sarker, J.-P. Girault, R. Lafont and L. N. Dinan

Acetogenins from *Porcelia macrocarpa*: stereochemical determination of 2-alkyl-3-hydroxy-4-methyl γ-lactones by ^{13}C NMR spectroscopy 523 M. H. Chaves and N. F. Roque

The structure and synthesis of a 7,8,4′-trihydroxyflavan-epioritin dimer from *Acacia caffra* 529 E. Malan, A. Sireeparsad, E. Swinny and D. Ferreira

Four flavonoid glycosides from *Peganum harmala* 533 M. Sharaf, M. A. El-Ansari, S. A. Matlin and N. A. M. Saleh

Steroidal alkaloids from *Solanum sycophanta* 537 A. Usubillaga, I. Aziz, M. C. Tettamanzi, R. Waibel and H. Achenbach

Pyrrolizidine alkaloids from *Messerschmidia argentea* 545 K. Ogihara, Y. Miyagi, M. Higa and S. Yogi

Short Reports

Tetralones from *Ancistrocladus cochinchinensis* 549 N. H. Anh, H. Ripperger, A. Porzel, T. V. Sung and G. Adam

An optically active chromanone from *Gynura formosana* 553 Ting-Ting Jong and Ju-Yueh Chou-Hwang

Annphenone, a phenolic acetophenone from *Artemisia annua* 555 A. K. Singh, V. Pathak and P. K. Agrawal

Piperdardine, a piperidine alkaloid from *Piper tuberculatum* 559 J. X. De Araujo-Junior, E. V. L. Da-Cunha, M. C. De O. Chaves and A. I. Gray

Number 4

Announcement ix

Growth and Metabolism

Characterization of a dioxygenase from *Trigonella foenum-graecum* involved in 4-hydroxyisoleucine biosynthesis 563 C. Haefelé, C. Bonfils and Y. Sauvaire

The formation of betalamic acid and muscaflavin by recombinant DOPA-dioxygenase from *Amanita* 567 L. A. Mueller, U. Hinz and J.-P. Zryd

Evaluation of the role of lactate dehydrogenase in oxalate synthesis 571 N. Sugiyama and N. Taniguchi

Protective effect of iridals from saponin injury in *Candida albicans* cells 575 O. Leconte, J.-P. Bonfils and Y. Sauvaire

Ecological Biochemistry

Arbuscular mycorrhizal fungus-induced changes in the accumulation of secondary compounds in barley roots 581 H. Peipp, W. Maier, J. Schmidt, V. Wray and D. Strack

Methyljasmonate-induced accumulation of coumaroyl conjugates in barley leaf segments 589 J. Lee, T. Vogt, J. Schmidt, B. Parthier and M. Löbler

Neo-clerodane insect antifeedants from *Scutellaria alpina* subsp. *javalambrensis* 593 D. M. Muñoz, M. C. de la Torre, B. Rodríguez, M. S. J. Simmonds and W. M. Blaney

Differences in phytoalexin response among rice cultivars of different resistance to blast 599 V. M. Dillon, J. Overton, R. J. Grayer and J. B. Harborne

Biosynthesis

Facile enzymic synthesis of caffeoyl CoA 605 H. Meng and W. H. Campbell

An alternative brassinolide biosynthetic pathway via late C-6 oxidation 609 Y.-H. Choi, S. Fujioka, T. Nomura, A. Harada, T. Yokota, S. Takatsuto and A. Sakurai

Cell Culture and Biotechnology

Biotransformation of geraniol, nerol and (+)- and (−)-carvone by suspension cultured cells of *Catharanthus roseus* 615 H. Hamada, H. Yasumune, Y. Fuchikami, T. Hirata, I. Sattler, H. J. Williams and A. I. Scott

Metabolism of isopiperitenones in cell suspension culture of *Mentha piperita* 623 S.-H. Park, K.-S. Kim, Y. Suzuki and S.-U. Kim

Biotransformation of the germacrane type sesquiterpene curdione by suspension cultured cells of *Lonicera japonica* 627 T. Horiike, M. Ohshiro and M. Kuroyanagi

Chemotaxonomy

Iridoids and secoiridoids from *Gentiana linearis* 633 C. Bergeron, A. Marston, R. Gauthier and K. Hostettmann

Plant Chemistry

(2*R*)-2-*β*-D-Glucopyranosyloxy-4,7-dimethoxy-2*H*-1,4-benzoxazin-3(4*H*)-one from *Triticum aestivum* 639 M. Kluge, H. J. Grambow and D. Sicker

Daphnane diterpenoids from the bark of *Wikstroemia retusa* 643 F. Abe, Y. Iwase, T. Yamauchi, K. Kinjo and S. Yaga

Diterpenoids from *Azorella compacta* 649 L. A. Loyola, J. Borquez, G. Morales and A. San Martin

ent-Kaurane-type diterpenoids from the liverwort *Jungermannia rotundata* 653 F. Nagashima, H. Tanaka and Y. Asakawa

ent-Kaurene diterpenes from *Gochnatia polymorpha* var. *polymorpha* 659 A. C. B. C. Sacilotto, W. Vichnewski and W. Herz

Diterpenoids from *Euphorbia fischeriana* 663 Q.-G. Ma, W.-Z. Liu, X.-Y. Wu, T.-X. Zhou and G.-W. Qin

Dammarane-type glycosides from *Gynostemma pentaphyllum* 667 L. Hu, Z. Chen and Y. Xie

Four polymethylsqualene epoxides and one acyclic tetraterpene epoxide from *Botryococcus braunii* 671 V. Delahais and P. Metzger

Benzoquinones from *Embelia angustifolia* 679 A.-K. Lund, J. Lemmich, A. Adsersen and C. E. Olsen

Cinnamates and coumarins from the leaves of *Murraya paniculata* 683 Atta-ur-Rahman, M. Shabbir, S. Z. Sultani, A. Jabbar and M. I. Choudhary

Phenylpropanoid glycosides from *Newbouldia laevis* roots 687 S. Gafner, J.-L. Wolfender, M. Nianga and K. Hostettmann

A phenylpropanoid glycoside from *Ballota nigra* 691 V. Seidel, F. Bailleul, F. Libot and F. Tillequin

Two phenylpropanoid glycosides from *Sparganium stoloniferum* 695 O. Shirota, S. Sekita and M. Satake

Lignans from *Myristica dactyloides* 699 H. M. T. B. Herath and A. M. A. Priyadarshini

Unusual biflavonoids in the farinose exudate of *Pentagramma triangularis* 705 M. Iinuma, Y. Kakuto, N. Tanida, T. Tanaka and F. A. Lang

Flavanones from *Iris tenuifolia* 711 K. Kojima, P. Gombosurengyin, P. Ondognyi, D. Begzsurengyin, O. Zevgeegyin, K. Hatano and Y. Ogihara

Isoflavanones in roots of *Sophora secundiflora* 715 Y. Shirataki, S. Yoshida, Y. Sugita, I. Yokoe, M. Komatsu, M. Ohyama, T. Tanaka and M. Iinuma

A *C*-methylflavone from *Trianthema portulacastrum* 719 U. Kokpol, N. Wannachet-isara, S. Tip-pyang, W. Chavasiri, G. Veerachato, J. Simpson and R. T. Weavers

Abutiloside A, a 26-acylamino-3β,16α-dihydroxy-5α-cholesta-22-one glycoside from *Solanum abutiloides* 723 R.-H. Tian, E. Ohmura, M. Matsui and T. Noharas

Alkaloids from *Piper puberullum* 727 Q.-L. Wu, S.-P. Wang, G.-Z. Tu, Y.-X. Feng and J.-S. Yang

Steroidal alkaloid glycosides from *Solanum uporo* 731 H. Ripperger

Ester-type cephalotaxus alkaloids from *Cephalotaxus harringtonia* var. *drupacea* 735 I. Takano, I. Yasuda, M. Nishijima, Y. Yanagi, K. Takeya and H. Itokawa

Five diterpenoid alkaloids from *Consolida glandulosa* 739 G. Almanza, J. Bastida, C. Codina and G. de la Fuente

Short Reports

A sesquiterpene glucoside from *Tinospora cordifolia* 749 R. Maurya, K. L. Dhar and S. S. Handa

Iridoid glucosides from *Viburnum rhytidophyllum* 751 L. Tomassini, D. Brkic, S. Foddai and M. Nicoletti

An unusual diterpene and other constituents from *Baccharis ochracea* 755 E. P. Schenkel, A. M. Sobottka, P. P. Lankhorst and J. Schripsema

Cytotoxic abietane diterpenoids from *Caryopteris incana* 759 J. Gao and G. Han

A 9,10-dihydrophenanthrene from *Asparagus racemosus* 763 T. Sekine, N. Fukasawa, I. Murakoshi and N. Ruangrungsi

A homoisoflavanone from *Pterocarpus marsupium* 765 S. C. Jain, S. K. Sharma, R. Kumar, V. K. Rajwanshi and B. R. Babu

Number 5

Foreword 767

Growth and Metabolism

Evidence for the existence of cAMP in lily plant flower tissues 769 L. Legendre, J. P. Derckel, F. Wrisez, C. Corrèze, J. C. Audran, B. Haye and B. Lambert

Rapid blue-light-induced phosphorylation of plasma-membrane-associated proteins in wheat 775 V. K. Sharma, P. K. Jain, S. C. Maheshwari and J. P. Khurana

Light- and calcium-modulated phosphorylation of proteins from wheat seedlings 781 V. K. Sharma, P. K. Jain, M. K. Malik, S. C. Maheshwari and J. P. Khurana

Specific inhibition of cyclic AMP-dependent protein kinase by warangalone and robustic acid 787 B. H. Wang, B. Ternai and G. Polya

Sterols and polyamines in *ipt*-transformed tobacco plants 797 J. M. C. Geuns, H. E. M. Van Loenhout, R. L. M. Valcke, K. Van Loven, P. Redig, S. Y. Veselov, G. R. Kudoyarova, H. A. Van Onckelen and J. C. Vendrig

Incorporation of ^{18}O into oxalic, L-threonic and L-tartaric acids during cleavage of L-ascorbic and 5-keto-D-gluconic acids in plants 805 K. Saito, J. Ohmoto and N. Kuriha

Cell wall reinforcement in cotton hypocotyls in response to a *Verticillium dahliae* elicitor 811 F. Smit and I. A. Dubery

Effect of irradiance on fatty acid, carotenoid, total protein composition and growth of *Microcystis aeruginosa* 817 K. Walsh, G. J. Jones and R. H. Dunstan

Phenological changes in primary and secondary chemistry of reproductive parts in wild parsnip — 825 A. R. Zangerl, E. S. Green, R. L. Lampman and M. R. Berenbaum

Ecological Biochemistry

Seasonal variation in the essential oil composition of *Commiphora quadricincta* and its effect on the maturation of immature adults of the desert locust, *Schistocerca gregaria* — 833 Y. O. H. Assad, B. Torto, A. Hassanali, P. G. N. Njagi, N. H. H. Bashir and H. Mahamat

Limonoids from *Citrus reticulata* and their moult inhibiting activity in mosquito *Culex quinquefasciatus* larvae — 843 G. K. Jayaprakasha, R. P. Singh, J. Pereira and K. K. Sakariah

Biosynthesis

Betaxanthin pattern of hairy roots from *Beta vulgaris* var. *lutea* and its alteration by feeding of amino acids — 847 J. Hempel and H. Böhm

N-Methyltransferase activities in caffeine biosynthesis: biochemical characterization and time course during leaf development of *Coffea arabica* — 853 S. S. Mösli Waldhauser, J. A. Kretschmar and T. W. Baumann

Cell Culture and Biotechnology

Triterpenoids and sterol glucoside from cell cultures of *Lycopersicon esculentum* — 861 S. De Rosa, A. De Giulio and G. Tommonaro

Cytochrome-P450-dependent formation of α-hydroxyacetovanillone from acetovanillone in *Solanum khasianum* — 865 U. Mühlenbeck and W. Barz

Chemotaxonomy

Enantiomers of monoterpenic hydrocarbons in essential oils from *Juniperus communis* — 869 J. R. Ochocka, M. Asztemborska, D. R. Zook, D. Sybilska, G. Perez and L. Ossicini

Floral fragrance variation in *Cypripedium*: implications for evolutionary and ecological studies — 875 T. J. Barkman, J. H. Beaman and D. A. Gage

Autumn essential oils of Greek oregano — 883 S. Kokkini, R. Karousou, A. Dardioti, N. Krigas and T. Lanaras

Bioactive Plant Products

Antimicrobial constituents of *Angelica dahurica* roots — 887 Y.-S. Kwon, A. Kobayashi, S.-I. Kajiyama, K. Kawazu, H. Kanzaki and C.-M. Kim

Plant Chemistry

Three secoiridoid glucosides from *Jasminum lanceolarium* — 891 Y.-C. Shen, S.-L. Lin and C.-C. Chein

Sesquiterpenes from *Tessaria absinthioides* — 897 M. B. K. Sanz, O. J. Donadel, P. C. Rossomando, C. E. Tonn and E. Guerreiro

Isoptaquiloside and caudatoside, illudane-type sesquiterpene glucosides from *Pteridium aquilinum* var. *caudatum* — 901 U. F. Castillo, A. L. Wilkins, D. R. Lauren, B. L. Smith, N. R. Towers, M. E. Alonso-Amelot and R. Jaimes-Espinoza

Ammolactone, a guaianolide from a medicinal plant, *Ammodaucus leucotrichus* — 907 B. Muckensturm, F. Diyani, D. Le Nouën, S. Fkih-Tetouani and J.-P. Reduron

Intramolecular transesterified taxanes from *Taxus yunnanensis* — 911 Z. Hongjie, M. Qing, X. Wei, Y. Ping, S. Handong and Y. Takeda

Steroidal glycosides from roots of *Cynanchum caudatum* — 917 T. Warashina and T. Noro

Hopane-type saponins from *Polycarpon succulentum* growing in Egypt — 925 M. R. Meselhy and E.-S. A. Aboutabl

A dammarane glycoside from Korean red ginseng — 931 J.-H. Ryu, J.-H. Park, J.-H. Eun, J.-H. Jung and D. H. Sohn

Absolute configuration of α-pyrones from *Cryptocarya latifolia* and *Syncolostemon densiflorus* — 935 L. A. Collett, M. T. Davies-Coleman, D. E. A. Rivett, S. E. Drewes and M. M. Horn

An alkylated coumarin from *Kayea assamica* — 939 M. Bordoloi, S. Mohan, N. C. Barua, S. C. Dutta, R. K. Mathur and A. C. Ghosh

Phenolics from *Hypericum geminiflorum* — 943 M.-I. Chung, M.-H. Lai, M.-H. Yen, R.-R. Wu and C.-N. Lin

The flavonoids of *Allium neapolitanum* — 949 A. Carotenuto, E. Fattorusso, V. Lanzotti, S. Magno, V. De Feo and C. Cicala

Cissaglaberrimine, an aporphine alkaloid from *Cissampelos glaberrima* — 959 J. M. Barbosa-Filho, E. V. L. Da-Cunha, M. L. Cornélio, C. Da Silva Dias and A. I. Gray

Quinoline alkaloids from *Psychotria glomerulata* — 963 P. N. Solís, A. G. Ravelo, J. A. Palenzuela, M. P. Gupta, A. González and J. D. Phillipson

Verballoscenine, the *Z* isomer of verbascenine from *Verbascum phoeniceum* — 971 K. Drandarov

Book Review — 975

Number 6

Growth and Metabolism

Xanthoxal: a revision of the nomenclature of the ABA precursor xanthoxin — 977 B. V. Milborrow, R. S. Burden and H. F. Taylor

Effects of 2,4-dihydroxy-1,4-benzoxazin-3-ones on the activity of plasma membrane H^+-ATPase — 979 A. Friebe, U. Roth, P. Kück, H. Schnabl and M. Schulz

Isolation of six low molecular weight heat shock proteins and partial characterization of heat shock protein 29 from mung bean hypocotyl — 985 Dan. H. Wu and D. L. Laidman

Enzymic *O*-methylation of isoliquiritigenin and licodione in alfalfa and licorice cultures — 991 M. Ichimura, T. Furuno, T. Takahashi, R. A. Dixon and S. Ayabe

Aminoaldehyde dehydrogenase of pea epicotyls — 997 H. M. A. Awal, T. Kinoshita, I. Yoshida, M. Doe and E. Hirasawa

Jasmonic acid inducible aspartic proteinase inhibitors from potato — 1001 S. Kreft, M. Ravnikar, P. Meško, J. Pungerčar, A. Umek, I. Kregar and B. Štrukelj

The rapid determination of γ-aminobutyric acid — 1007 G. Zhang and A. W. Bown

O-Feruloylated, *O*-acetylated oligosaccharides as side-chains of grass xylans — 1011 G. Wende and S. C. Fry

2-*O*-β-D-Xylopyranosyl-(5-*O*-feruloyl)-L-arabinose, a widespread component of grass cell walls — 1019 G. Wende and S. C. Fry

Fungal metabolism of prenylated flavonoids 1031 S. Tahara, M. Tanaka and W. Barz

Ecological Biochemistry

Trigonelline accumulation in salt-stressed legumes and the role of other osmoregulators as cell cycle control agents 1037 W. A. Tramontano and D. Jouve

Putaminoxins B and C from *Phoma putaminum* 1041 A. Evidente, R. Lanzetta, R. Capasso, A. Andolfi, M. Vurro and M. C. Zonno

Biosynthesis

Conversion of deoxyhumulone into the hop α-acid humulone 1047 S.-Y. Fung, K. W. M. Zuurbier, N. B. Paniego, J. J. C. Scheffer and R. Verpoorte

The hydroxylation at C-17 in the biosynthesis of the diterpenoid aphidicolin 1055 J. R. Hanson, P. B. Hitchcock and A. G. Jarvis

Cell Culture and Biotechnology

21′-Di-dehydro-deacetyllanatoside C, a biotransformation product of deacetyllanatoside C from senescent shoot cultures of *Digitalis lanata* 1061 M. Rhenius, A. Porzel, B. Diettrich and M. Luckner

A prenylated xanthone from cell suspension cultures of *Hypericum patulum* 1065 K. Ishiguro, N. Nagareya, A. Suitani and H. Fukumoto

Chemotaxonomy

Betaines and free proline within the *Achillea millefolium* group 1067 M. Mehlführer, K. Troll, J. Jurenitsch, H. Auer and W. Kubelka

Chemotaxonomic evidence for the similarity between *Botryococcus braunii* L race and *Botryococcus neglectus* 1071 P. Metzger, Y. Pouet and R. Summons

Terpenoid composition of *Lippia dulcis* 1077 F. A. Souto-Bachiller, M. De Jesus-Echevarría, O. E. Cárdenas-González, M. F. Acuña-Rodriguez, P. A. Meléndez and L. Romero-Ramsey

Additional carotenoid prototype representatives and a general chemosystematic evaluation of carotenoids in Prasinophyceae (Chlorophyta) 1087 E. S. Egeland, R. R. L. Guillard and S. Liaaen-Jensen

Phytochemistry of *Illicium dunnianum* and the systematic position of the Illiciaceae 1099 L.-K. Sy, R. M. K. Saunders and G. D. Brown

The secondary metabolites of aff. *Samadera* SAC-2825: an Australian Simaroubaceae with unusual chemistry 1109 S. Gibbons, L. Craven, C. Dunlop, A. I. Gray, T. G. Hartley and P. G. Waterman

Bioactive Plant Products

Cytotoxic triterpenes from *Cleome africana* 1115 H. Nagaya, Y. Tobita, T. Nagae, H. Itokawa, K. Takeya, A. F. Halim and O. B. Abdel-Halim

Furanocoumarins with affinity to brain benzodiazepine receptors *in vitro* 1121 O. Bergendorff, K. Dekermendjian, M. Nielsen, R. Shan, R. Witt, J. Ai and O. Sterner

Plant Chemistry

Amides of the fruit of *Zanthoxylum* spp. 1125 Y. Kashiwada, C. Ito, H. Katagiri, I. Mase, K. Komatsu, T. Namba and Y. Ikeshiro

Fluoro fatty acids in seed oil of *Dichapetalum toxicarium* 1129 J. T. G. Hamilton and D. B. Harper

Sesquiterpene lactones and lignans from *Artemisia arborescens* 1133 J. A. Marco, J. F. Sanz-Cervera, V. García-Lliso and J. Vallès-Xirau

Triterpenoid glycosides from *Adina rubella* 1139 G. Fan and Z. He

Triterpenoid saponins from *Mimusops elengi* 1145 N. P. Sahu, K. Koike, Z. Jia and T. Nikaido

Triterpenoid saponins from *Erythrina sigmoidea* 1151 J. T. Mbafor, J.-C. Ndom and Z. T. Fomum

Limonoids from leaves of *Khaya senegalensis* 1157 L. R. V. Olmo, M. F. das G. F. da Silva, E. Rodrigues Fo., P. C. Vieira, J. B. Fernandes, A. L. Pinheiro and E. F. Vilela

Withanolides from the stem bark of *Withania somnifera* 1163 M. Ali, M. Shuaib and S. H. Ansari

Three phenylpropanoids from *Juniperus phœnicea* 1169 G. Comte, D. P. Allais, A. J. Chulia, J. Vercauteren and N. Pinaud

Chromenes from *Evodia lepta* 1175 G.-L. Li, J.-F. Zeng, C.-Q. Song and D.-Y. Zhu

Lignans from *Virola* aff. *pavonis* leaves 1179 J. C. Martinez V. and R. Torres Ch.

Book Review 1183

Number 7

Announcement ix

Review Article Number 118

Advances in triterpenoid research, 1990–1994 1185 S. B. Mahato and S. Sen

Growth and Metabolism

Purification of blackgram mottle virus (BMoV) using magnesium-bentonite 1237 A. Balasubrahmanyam, H. C. Kapoor and A. Varma

Two isoforms of NP24: a thaumatin-like protein in tomato fruit 1241 R. Pressey

Carbonic anhydrases from leaves and roots of *Daucus carota* 1247 N. Demir, Y. Demir and A. Yildirim

Metabolism of [α-^{14}C]-desulphophenethylglucosinolate in *Nasturtium officinale* 1251 P.-J. Svanem, A. M. Bones and J. T. Rossiter

Ecological Biochemistry

Partial synthesis of 3-*O*-vanilloylveracevine, an insecticidal alkaloid from *Schoenocaulon officinale* 1257 I. Ujváry and J. E. Casida

Chemotaxonomy

Volatile components of the liverworts *Archilejeunea olivacea*, *Cheilolejeunea imbricata* and *Leptolejeunea elliptica* 1261 M. Toyota, H. Koyama and Y. Asakawa

A comparative study on three chemo-types of the liverwort *Conocephalum conicum* using volatile constituents 1265 M. Toyota, T. Saito, J. Matsunami and Y. Asakawa

Anthrones from *Aloe microstigma* 1271 E. Dagne, D. Bisrat, B.-E. Van Wyk, A. Viljoen, V. Hellwig and W. Steglich

Bioactive Plant Products

Antitumour and anti-AIDS triterpenes from *Celastrus hindsii* 1275 Y.-H. Kuo and L.-M. Y. Kuo

Plant Chemistry

The essential oil composition of *Cunila microcephala* and *Cunila fasciculata* 1283 S. A. De Loreto Bordignon, E. P. Schenkel and V. Spitzer

Sesquiterpenoid alcohols from *Chrysanthemum morifolium* 1287 L. Hu and Z. Chen

Natural occurrence of both enantiomers of cadina-3,5-diene and δ-amorphene 1291 S. Melching, N. Bülow, K. Wihstutz, S. Jung and W. A. König

Diterpenoids from the roots of *Salvia sclarea* 1297 A. Ulubelen, U. Sönmez and G. Topcu

Hydrohalimic acids from *Halimium viscosum* 1301 D. I. M. D. de Mendonça, J. M. L. Rodilla, A. M. Lithgow and I. S. Marcos

Terpenoids and other constituents of *Eucalyptus globulus* 1309 G. G. Santos, J. C. N. Alves, J. M. L. Rodilla, A. P. Duarte, A. M. Lithgow and J. G. Urones

Triterpenes, a sterol and a monocyclic alcohol from *Momordica charantia* 1313 S. Begum, M. Ahmed, B. S. Siddiqui, A. Khan, Z. S. Saify and M. Arif

Dammarane saponins from *Zizyphus lotus* 1321 J.-H. Renault, K. Ghedira, P. Thepenier, C. Lavaud, M. Zeches-Hanrot and L. Le Men-Olivier

Pithedulosides A–G, oleanane glycosides from *Pithecellobium dulce* 1329 S. K. Nigam, M. Gopal, R. Uddin, K. Yoshikawa, M. Kawamoto and S. Arihara

Megastigmane glucosides from *Stachys byzantina* 1335 Y. Takeda, H. Zhang, T. Masuda, G. Honda, H. Otsuka, E. Sezik, E. Yesilada and H. Sun

A furostanol glycoside from rhizomes of *Dioscorea collettii* var. *hypoglauca* 1339 K. Hu, A.-J. Dong, X.-S. Yao, H. Kobayashi and S. Iwasaki

Two macrocyclic hydrolysable tannin dimers from *Eugenia uniflora* 1343 M.-H. Lee, S. Nishimoto, L.-L. Yang, K.-Y. Yen, T. Hatano, T. Yoshida and T. Okuda

Sesquilignans and lignans from *Tsuga heterophylla* 1351 F. Kawamura, S. Kawai and H. Ohashi

Revised structure for five acetophenones from *Cynanchum taiwanianum* 1359 C.-N. Lin, P.-L. Huang, C.-M. Lu, M.-H. Yen and R.-R. Wu

Dehydrodiferulic acids from sugar-beet pulp 1365 V. Micard, J. H. Grabber, J. Ralph, C. M. G. C. Renard and J.-F. Thibault

Benzoquinones, a homoisoflavanone and other constituents from *Polygonatum alte-lobatum* 1369 P.-L. Huang, K.-H. Gan, R.-R. Wu and C.-N. Lin

Identification of an anthocyanin occurring in some red wines 1375 J. Bakker, P. Bridle, T. Honda, H. Kuwano, N. Saito, N. Terahara and C. F. Timberlake

N-Cyclohexyl amides and a dimeric coumarin from Formosan *Toddalia asiatica* 1383 I.-L. Tsai, S.-C. Fang, T. Ishikawa, C.-T. Chang and I.-S. Chen

Confirmation of the absolute configuration of dolichantoside and isodolichantoside by synthesis from (−)-secologanin 1387 H. Achenbach and M. Benirschke

Short Reports

A triglyceride from *Punica granatum* 1391 M. Yusuph and J. Mann

Terpenoids from *Salvia tchihatcheffii* 1393 G. Topçu, M. Kartal and A. Ulubelen

A flavonol glycoside from *Embelia schimperi* leaves 1397 L. O. M. Arot and L. A. D. Williams

Flavonoid aglycones and flavonol glycosides in the lipophilic leaf exudate of *Nothofagus antarctica* 1399 E. Wollenweber, A. Stüber and L. Kraut

Number 8

Growth and Metabolism

Regulation of α-amylase isoenzyme expression in *Araucaria araucana* by gibberellic and abscisic acids 1401 E. Acevedo and L. Cardemil

Melatonin: occurrence and daily rhythm in *Chenopodium rubrum* 1407 J. Kolář, I. Macháčková, J. Eder, E. Prinsen, W. van Dongen, H. van Onckelen and H. Illnerová

Glucosinolates from flower buds of Portuguese *Brassica* crops 1415 E. A. S. Rosa

Geographical variations in seed oils from *Rubus chamaemorus* and *Empetrum nigrum* 1421 A. K. Johansson, P. H. Kuusisto, P. H. Laakso, K. K. Derome, P. J. Sepponen, J. K. Katajisto and H. P. Kallio

Ecological Biochemistry

Induced defence responses in cotton leaf disks by elicitors from *Verticillium dahliae* 1429 I. A. Dubery and V. Slater

Charge density in stem cell walls of *Solanum tuberosum* genotypes and susceptibility to blackleg 1435 P. Marty, B. Jouan, Y. Bertheau, B. Vian and R. Goldberg

Cytochalasins and phytotoxins from the fungus *Xylaria obovata* 1443 D. Abate, W.-R. Abraham and H. Meyer

Sesquiterpenes, triterpenoids, limonoids and flavonoids of *Cedrela odorata* graft and speculations on the induced resistance against *Hypsipyla grandella* 1449 J. R. de Paula, I. J. C. Vieira, M. F. das G. F. da Silva, E. Rodrigues Fo, J. B. Fernandes, P. C. Vieira, A. L. Pinheiro and E. F. Vilela

Insecticidal rocaglamide derivatives from *Aglaia duppereana* 1455 B. W. Nugroho, R. A. Edrada, B. Güssregen, V. Wray, L. Witte and P. Proksch

Effects of various elicitors on the accumulation and secretion of isoflavonoids in white lupin 1463 H. Gagnon and R. K. Ibrahim

Cell Culture and Biotechnology

Glucosinolate contents of regenerated plantlets from embryoids of horseradish 1469 J. P. Mevy, J. Rabier, A. Quinsac, M. Krouti and D. Ribaillier

Sesquiterpene aryl esters from *Armillaria tabescens* 1473 D. M. X. Donnelly, T. Konishi, O. Dunne and P. Cremin

Enantioselective accumulation of (−)-pinoresinol through *O*-demethylation of (±)-eudesmin by *Aspergillus niger* 1479 H. Kasahara, M. Miyazawa and H. Kameoka

1-*O*-Nicotinoyl-β-D-glucopyranose in cultured tobacco cells 1483 N. Ohshima, H. Nishitani, S. Nishikawa, K. Okumura and H. Taguchi

Chemotaxonomy

Essential oils from New Zealand manuka and kanuka: chemotaxonomy of *Leptospermum* 1485 N. B. Perry, N. J. Brennan, J. W. Van Klink, W. Harris, M. H. Douglas, J. A. McGimpsey, B. M. Smallfield and R. E. Anderson

epi-Neoverrucosane- and *epi*-homoverrucosane-type diterpenoids from *Fossombronia alaskana* 1495 C. Grammes, G. Burkhardt, M. Veith, V. Huch and H. Becker

Bioactive Plant Products

A 3-amino-10-chloro-2-hydroxydecanoic acid-containing tetrapeptide from *Oscillatoria agardhii* 1503 T. Sano and K. Kaya

A monogalactopyranosyl acylglycerol from *Oltmannsiellopsis unicellularis* (NIES-359) 1507 M.-C. Rho, K. Yasuda, K. Matsunaga and Y. Ohizumi

Triptinins A and B, two leukotriene D_4 antagonistic 19(4→3)-*abeo*-abietanes from *Tripterygium wilfordii* 1511 J. Xu, T. Ikekawa, M. Ohkawa, I. Yokota, N. Hara and Y. Fujimoto

Plant Chemistry

Muralioside, an iridoid from *Cymbalaria muralis* 1515 A. Bianco, M. Guiso G. Pellegrini, M. Nicoletti and M. Serafini

Bisabolane sesquiterpenoids from *Santalum austrocaledonicum* 1519 T. Alpha, P. Rakotondrafara, J.-P. Bianchini, R. Faure and A. Cambon

A rearranged abietane-type diterpenoid from the liverwort *Makinoa crispata* 1523 H.-J. Liu and C.-L. Wu

Taxanes from the roots of *Taxus mairei* 1527 Y.-C. Shen and C.-Y. Chen

Cadinanolides and other constituents from *Vernonia fruticulosa* and *Vernonanthura discolor* 1535 J. N. Bazon, J. L. Callegari Lopes, W. Vichnewski, D. A. Dias, K. Nagamiti, W. R. Cunha and W. Herz

Glaucafilin, an acetogenin from *Annona glauca* 1537 A.-I. Waechter, R. Hocquemiller, A. Laurens and A. Cavé

Cohibins A and B, acetogenins from roots of *Annona muricata* 1541 C. Gleye, A. Laurens, R. Hocquemiller, O. Laprévote, L. Serani and A. Cavé

A cembrane from *Echinodorus grandiflorus* 1547 C. M. A. Tanaka, M. H. Sarragiotto, J. Zukerman-Schpector and A. J. Marsaioli

Water-soluble phenolic glycosides from leaves of *Alangium premnifolium* 1551 H. Kijima, T. Ide, H. Otsuka, C. Ogimi, E. Hirata, A. Takushi and Y. Takeda

5-Alkylresorcinols from *Ononis natrix* 1559 L. M. Cañedo, J. M. Miguel del Corral and A. san Feliciano

Two bibenzyl glucosides from *Pleione bulbocodioides* 1565 L. Bai, N. Masukawa, M. Yamaki and S. Takagi

Four stilbenes from *Salacia lehmbachii*	1569	K. KAWAZOE, N. SHIMOGAI, Y. TAKAISHI, K. S. RAO and Y. IMAKURA
Prenylflavonoids from *Humulus lupulus*	1575	J. F. STEVENS, M. IVANCIC, V. L. HSU and M. L. DEINZER
2-Methoxyjudaicin, an isoflavene from the roots of *Cicer bijugum*	1587	N. C. VEITCH and P. C. STEVENSON
Alkaloids from *Isopyrum thalictroides*	1591	S. A. PHILIPOV and R. S. ISTATKOVA
Book Reviews	1595	
Corrigendum	1599	